

Good™ for Enterprise

iPhone User's Guide

Version 1.9.8

Contents

- 1 Getting Started 1**
 - System Overview 1
 - About Good for Enterprise 2

- 2 iPhone Setup 3**
 - Installing Good for Enterprise for the First Time 3

- 3 Using Good for Enterprise 6**
 - Email 6
 - Creating Email Messages 11
 - Viewing and Working with Attachments 12
 - Handling messages 15
 - Sorting, Filtering, and Searching the Email List 17
 - Responding to an Event Request 17
 - File Repository 19
 - Contacts 22
 - Viewing Contacts 22
 - Finding Contacts 24
 - Adding, Editing, and Deleting Contacts 25
 - Calendar 26
 - Viewing Events 27
 - Adding New Events 30
 - Editing Events 33
 - Exiting and Returning to Good for Enterprise 34
 - iPhone Synchronization 35
 - Good Mobile Access Secure Browser 36

4	Preferences and Maintenance	38
	Email Preferences	38
	Email Signature	38
	Email Out of Office	38
	Email Folder Sync	39
	Send/Receive Now	39
	Notification Preferences	39
	Contact Preferences	41
	Managing Your Password	42
	Installing Applications Using Good	45
	Good for Enterprise Updates	46
	Data Storage and Aging	46
	Submitting a Diagnostic Log File	47

1 Getting Started

Welcome to Good for Enterprise, the behind-the-firewall, wireless corporate email and data access system from Good Technology. Good for Enterprise provides your iPhone with a wirelessly synchronized, encrypted connection to your company servers, so you can instantly access up-to-date corporate email, attachments, calendar, and contacts from behind the firewall, when away from your desk.

System Overview

Your iPhone works in conjunction with your email server and Good for Enterprise Server software on your corporate network. When you start up Good for Enterprise, your iPhone connects wirelessly with your corporate network using the high-speed wireless network service supported by your iPhone.

The Good for Enterprise service synchronizes your iPhone with your email, calendar, and contacts, just as those mail-system applications synchronize your desktop computer and laptop with your email server. In this way, your mail system and Good for Enterprise present the same information to you. (Public folders and personal folders stored on your PC hard disk or laptop are not synchronized.)

Your *Apple iPhone User Guide* describes your iPhone before it has been set up for use with Good for Enterprise software. In most cases, the guide remains accurate after the iPhone has been set up. However, where your iPhone guide describes Email, Calendar, and Contact applications, use this guide instead for your corporate email account.

About Good for Enterprise

Good for Enterprise is wirelessly synchronized with your email server account. The data that gets synchronized includes:

- Email messages

Both message status and basic folder contents are synchronized. For example:

- Messages marked read on your iPhone are marked read on the email server and in your Inbox.
- New messages sent to your email server Inbox are also automatically sent to your iPhone.
- Messages you delete from the Inbox on your iPhone are also deleted from your mail system's Inbox.

For more information on email synchronization, see "iPhone Synchronization" on page 35.

- Contacts

All personal contacts in your company email application are added to your iPhone and kept synchronized, if your administrator authorizes this feature. Personal contacts are those stored in the Contacts portion or Address Book in your company account (the ones that you see when you tap Contacts in your company email).

- Calendar

Both calendar events and event requests are synchronized. You can create, change, and delete events, and accept or decline event requests from your iPhone.

You do not need a physical connection to your computer to synchronize. Synchronization happens whenever the iPhone is on, you are running Good for Enterprise, and you are connected to the Internet.

You can choose to work offline but still continue to read and compose messages; to do so, use your iPhone's Airplane Mode. An active wireless network connection is required for synchronization to work when you are running Good for Enterprise.

2 iPhone Setup

Once your account is activated by your IT administrator, you will receive a welcome message from Good that gets you started setting up Good for Enterprise. You won't need to return your iPhone to the administrator for setup or connect it to a computer.

Installing Good for Enterprise for the First Time

To set up your iPhone with Good for Enterprise:

1. Your IT administrator will send you a message with your email address, a PIN (and expiration date, if applicable), and a URL address.
2. Make sure your iPhone is fully charged and your wireless connection is active. See the documentation that came with your iPhone for details.
3. Use the iPhone browser to navigate to the URL address provided in the email sent by your IT administrator. Select the download link.
4. An App Store page will open on your iPhone.
5. The Free button transforms into an Install button when you tap it. Now tap the Install button.
6. Enter your iTunes password when prompted. Tap OK.
A loading icon appears on the Home screen.
7. With loading complete, tap the new Good icon.
Tap Start on the information screen that is displayed.

Tap as necessary to accept license information.

8. Enter your email address and PIN. If your PIN has expired, contact your IT administrator.

Good for Enterprise installation begins. (Landscape mode is not available for this process.)

9. If your administrator has set iPhone configuration policies, complete this step:
 - a. When a “Profile Required” dialog appears, tap Install Now.
You can delay profile installation twice for an hour.
The Good installer exits and Safari runs.
 - b. When an “Install Profile” dialog appears, tap Install, then Install now.
 - c. Enter your device code when prompted, and tap OK.
A Good configuration profile is installed.
 - d. Tap Done when prompted.
 - e. Press the Home screen, launch Good, tap Start when prompted.

Good for Enterprise installation continues.

10. With Good for Enterprise installation complete, tap Done.
11. If your administrator has set a policy requiring a password to access Good for Enterprise, you’ll be prompted to enter and confirm a password. A message will display any restrictions set by the administrator on the password (minimum length, special characters, etc.).

Good for Enterprise now automatically synchronizes your iPhone with information in your company account. When synchronization is complete, the “Welcome to Good for Enterprise” message you received will appear in your iPhone email Inbox, along with the 100 most recent emails in your company email Inbox. Your company contacts are added to Good on the iPhone. Changes to these contacts are synchronized between iPhone and your company account. After setup is

complete, you can optionally have these contacts added to your native contacts, in a Good for Enterprise group. Changes to these contacts are synchronized between iPhone and your company account.

If you see any errors during startup or if your connection appears to fail, contact your IT administrator.

Synchronization occurs when Good for Enterprise is running. To maximize synchronization, leave Good for Enterprise running when your iPhone is idle; then, when you clear the lock screen, an up-to-date Inbox list will be available.

For easier access to Good for Enterprise, you can clear a space in the iPhone toolbar and drag the Good icon into that space. To do so, press and hold any application icon on the Home screen until all the icons begin to wiggle. Then drag an icon from the toolbar and drag the Good icon down into the newly created space. Click the Home button to exit from this editing mode. (If you press and hold the Good icon in the toolbar, an x in a circle appears on it. Tapping the icon uninstalls Good.)

Good applications support both portrait and landscape modes.


Important: For security reasons, Good does not allow backup of your Good data to iTunes or iCloud, as doing so could make your corporate data accessible to unauthorized users. Since this data is not backed up to iTunes or iCloud, it cannot be restored as part of any iOS upgrade or restore from backup that you perform. As a result, you'll need to set up your device again, updating and re-syncing the Good for Enterprise application; that is, after the iOS upgrade or backup, you'll be taken to a provisioning screen and be prompted for your email address and PIN.

3 Using Good for Enterprise


After your iPhone is set up, your company email messages and calendar activity will be synchronized with the iPhone. You can use your iPhone to manage your email and calendar in the same way you would in your company account.

Email

Start up Good for Enterprise to display your Inbox.



Tap to start Good for Enterprise.




Shake the iPhone to send and receive mail now from an Email or Calendar screen.


Email status

	New, unread message		Opened message (no icon)
	New, unread message with attachment		Opened message with attachment
	New, unread important message		Opened important message
	New, unread important message with attachment		Opened important message with attachment
	Replied-to message		Forwarded message
	Replied-to message with attachment		Forwarded message with attachment
	Replied-to important message		Forwarded important message
	Replied-to important message with attachment		Forwarded important message with attachment
	Event request		Signed message
	Flagged		Flag complete

Tap a message in the email list to display the contents of the message.



Your iPhone comes with a set of folders (Inbox, Outbox, Sent Items, Drafts, and Deleted Items). You can use these folders, and your own email folders, for managing email messages. Messages are synchronized between your company account and iPhone for these folders, except for Drafts (your administrator may choose to turn off synchronization of the Sent items folder). You can access the list of folders from the email list or from within an individual message.




Tap to display list of folders.

In addition to the folders listed above, your iPhone contains email folders you have added to your email server account. (You can create and rearrange folders using your company email, but not your iPhone.)

Only email folders that are stored on your email server are included on your iPhone. Personal email folders (*.pst) stored on your computer's hard disk are not included. (You can access both types of folders with your email application.)

If you create folders and subfolders in your company account, or subfolders under Drafts, Contacts, Calendars, or Outbox, these folders are also created on your iPhone. However, the messages in them are not synchronized.

To enable email synchronization for additional folders, open the folder list from the email list and tap the folder to be synchronized. Tap the *Subscribe to Folder...* prompt. The folder's latest 100 emails will be added from your company email account. You can also subscribe to folders using the email folder option in Preferences ("Email Folder Sync" on page 39).




If you leave the folder list and return later, expanded folders will be displayed.

To move a message, open the message and tap the folder icon at the bottom of the screen. Tap the destination folder in the list that is displayed. The message is moved to that folder.


Creating Email Messages


To create an email message, tap  in the message list or at the bottom of a particular message. A blank (or draft) message appears.



Tapping an email hyperlink also opens a blank message.

As you enter characters in the To, CC, and Bcc fields, a list appears, of your contacts that match the letters you have entered. This includes your personal distribution lists. Contents of the company directory and company history are included below local contacts.



You can enter an email address directly, select a contact from the list, or tap  to access the full contacts picker directly. The To: field is limited to 32 recipients. For more on contacts and the contacts picker, refer to “The file repository does not support folders. Zip files can be viewed from the repository.” on page 21.

Enter a message. If you need to leave the message before you are finished, or want to save a draft while you are composing it, tap Cancel. You'll be asked if you want to save the message. If you save it, you can select it later in your Drafts folder to open it and continue writing it.

Note that your IT administrator may implement a policy that prohibits cut/copy/paste from Good for Enterprise to other applications on the device.

Refer to the following section for information on attaching a file to the message.

If you make a call or otherwise return to the iPhone home screen while composing the message, when you return to Good, the message draft will be displayed automatically.

When you have finished composing the email message, tap Send.

Your administrator may institute a policy that displays a warning if you attempt to send email outside your enterprise. You'll be given a list of outside recipients; you can choose which of them to send the message to.

Messages you send are temporarily stored in the Outbox folder on your iPhone. When the message is sent, a copy is stored in the Sent Items folder on your iPhone and in your company account.


To add a signature to all your messages, tap Preferences and Signature, and enter your signature text.

Viewing and Working with Attachments

Note: Your administrator may set policies that affect your access to and use of the message's attachments. These policies can be configured to allow or prohibit the downloading and viewing of particular attachments, as well as the opening of attachments in

third-party applications and their use in composing, replying to, and forwarding email.

Tap the attachment icon (paper clip) within a message to display a list of attachments.



List of attachments in the message. An unlimited number of attachments are allowed.

Tap an attachment to download and display it.

You can tap as many attachments as you want, for simultaneous download.

Password-protected

Long-press an attachment to save it or open it in an application that you choose.

You can view many types of email attachments on your device. When you tap to display one, a built-in Good file viewer is used.




Tap to save the downloaded file in the file repository or open in an application of your choice.

To save delivery time, attachments are transferred to your device in separate sections. You can do other work in Good for Enterprise while the attachment(s) are being delivered. Exiting from Good for Enterprise before a download is complete will cancel the operation.

If enabled by your administrator, applicable third-party applications will display a menu option such as “Open In” that allows you to import the file into Good: that is, to save the current file in the secure file repository within the Good application (“File Repository” on page 19), or to attach it to a Good email that you compose. The Good application opens and a menu such as the following is displayed.



To open a repository file in a third-party application, click the  icon.


When you are adding attachments to an email that you are composing, replying to, or forwarding (by clicking the paper clip in the email draft), you’ll have the option of using any of these saved files as attachments, by opening your file repository.




Tap one or more files in the repository to select them. Tap the Attach button in the repository to attach the selected files to the message being composed.

Handling messages

You can reply to or forward a message, and move or delete multiple messages. You can mark a message as unread or flag it for followup.





To reply to or forward a message, with the message open tap .



Tap the button for the appropriate action. Enter a forwarding address or compose a reply in the field provided. If an attachment is present, you'll be asked whether it should be forwarded as well; either way, you can add additional attachments from the file repository by

clicking the paper clip in the Compose window that opens. The original email text is automatically included at the bottom of a response. When you reply to a message, you cannot delete or edit the original email text. However, you can copy the text to a new message, then edit it. When you have finished your response, tap Send.

To delete an open message, tap . **To delete multiple messages in a list**, tap Edit and tap or swipe one or more messages to display a selection bubble next to them, and tap the Delete key at the bottom of the Edit screen.




To move a message, open the message and tap the folder icon at the bottom of the screen. Tap the destination folder in the list that is displayed. The message is moved to that folder. **To move multiple messages**, tap Edit in the email list and select the messages to be moved by tapping the bubble next to each or by swiping the message; then tap Move and from the folder list displayed, choose the


destination for the selected messages. The messages are moved to that folder.


Sorting, Filtering, and Searching the Email List

You can sort the email in a folder by date, sender, or subject. You can search the folder for text in the From or Subject fields, or both. You can filter the email so that only priority, unread, or flagged messages are displayed.



Responding to an Event Request

Event requests sent from other users appear in your Inbox with an  icon. You can use your iPhone to respond to event requests. From your Inbox, select the message to open the event request. A description of the event appears.



Choose an option.

Use the response menu to respond to the organizer without taking an action.

After you send your response, the event request is automatically deleted from your Inbox and moved to the Deleted Items folder. Event requests that you accept are automatically added to your calendar. (See also “Adding New Events” on page 30.)

File Repository


Subject to policy restrictions set up by your administrator, you can save attachments and files from third-party applications in a secure file repository within your Good application.


To view a list of the files in your file repository, click on the Docs icon in the toolbar or More list.



A list of repository files is displayed.




If you tap a file to display its contents, you can then tap the Trash container to delete it or the  icon to choose an application with which to open it.



The file repository does not support folders. Zip files can be viewed from the repository.

To add a saved attachment in the repository to an email:

1. Tap the paper clip in the email.
2. Tap the "Add from File Repository" icon  on the Attachments page.
3. Select a file to add from the file repository.

If your IT administrator has disabled sending attachments, you will not be able to add or remove attachments when forwarding an email.

If your IT administrator has blocked certain file types for receiving, you will not be able to save those files in the secure file repository. If such files have already been saved, you will not be able to view or otherwise use them. The application will show that the files are blocked by IT.

If your IT administrator has blocked certain file types for sending, you will not be able to view or attach those files to send in an email. The application will show that the files are blocked by IT.

The secure file repository within your Good application is not synced with your desktop or backed up. The files will be retained when the application is upgraded. However, these files will be deleted if you re-install the application or if your administrator disables file-repository support.

Note that importing from and exporting to third-party applications on iOS devices requires an iOS version greater than 4.2.

Refer to "Viewing and Working with Attachments" on page 12 for more on repository files.

Contacts

When Good for Enterprise is installed on your iPhone and you run it for the first time, your Good for Enterprise contacts are synchronized with your company contacts (Outlook or Lotus, for example), if your IT administrator has enabled this feature for you. Thereafter, each time that you run Good for Enterprise on the iPhone, your company contacts and the contacts in Good for Enterprise on your iPhone are synchronized. For example, if you change a contact address in your company account, the contact is updated in Good for Enterprise on your iPhone too, and vice versa. The same is true if you add or delete a contact.

Email, Calendar, and phone features such as Speed Dial will now use the synchronized contacts.


When searching your contacts within Good for Enterprise, company-directory entries (Exchange GAL or Domino Names.nsf, for example) will also be available.

Personal distribution lists are supported. They cannot be created/edited from your handheld, but will be synchronized with those you create on the desktop.


You can also sync Good contacts with your local iPhone contacts (“Contact Preferences” on page 41). If you do, the Good contacts will be stored in your iPhone contacts application in a “Good for Enterprise” group, and Good for Enterprise will keep that group updated. Note that your iPhone contacts must not be syncing with mail system via any other application, or data may be lost.

Viewing Contacts

To view contacts from within Good for Enterprise, tap the Contacts button in the Task bar. A list of all of your contacts appears.




Tap a contact to display details about it.



Finding Contacts

You can find contacts based on the first few characters of a first name or last name. This feature is useful for working with long lists of contacts.

To find a contact, enter the contact name in the Search field. You can choose to search your personal contacts or the company directory, or both.



The contacts that match the characters you enter appear in the list. For example, if you enter *a* in the Find field, only contacts whose first or last names start with *a* appear. Entries in the company directory and company history are included.

Continue to enter characters until you find the appropriate contact.

If the characters you enter do not match any contacts, no names are displayed. To redisplay contacts, backspace to remove characters from the Find field.

Adding, Editing, and Deleting Contacts

You can add, edit, and delete contacts. Any such action performed in Good Contacts on your iPhone will also be reflected in your corporate email account.

To add a contact, tap the plus sign at the top of the Contacts list, fill in the fields that are displayed, and tap Done. You can also add or move a contact into the Good for Enterprise group in iPhone Contacts and it will be synchronized with your corporate contacts automatically.

To delete a contact, tap the contact in the contact list, then tap edit, and scroll to the bottom of the Edit screen to tap Delete.

To edit a contact, tap the contact in the contact list, tap Edit, and change the displayed fields as desired.


Calendar

Good for Enterprise's Calendar feature keeps your iPhone synchronized with your company Calendar. You can use your phone to manage your company meetings and appointments. When your iPhone is set up, all of your calendar events from the past week and all future events are added to it. With Calendar you can:

- View existing events by day or month
- Add new events or edit existing events
- Create event requests, invite attendees to an event, and set event reminders

Viewing Events

To view your events, select the Day or Month view.




The calendar appears with the Day or Month view showing and the current day selected.

A list of events appears in the day view. A list of all events for a selected day is listed at the bottom of the Month view.



Tap an event to view details about it.

Tap the date to display a different day or month.



Tap to display map.

Tap to display map.

If you tap the Map icon, a map of the meeting location is displayed.



Tap to display driving directions.

When you tap a number in a meeting invitation, you'll be prompted to select the correct passcode from the list displayed; the list displays the passcodes you've received with meeting invitations. If no passcode is required or isn't supported by the dialer (for example, if it


contains special characters), tap None. Enter any required passcode over the phone when prompted.



Tap to choose a passcode for the conference call. If a code is provided with the meeting invitation, it will be listed. A pause and the conference code are added to the dialed number automatically.

If no passcode is required, or if the dialer doesn't support this feature, tap None. In the case of unsupported codes, enter the code when prompted over the phone.

Adding New Events

To add a new event, tap  on the Day or Month calendar. Use the screen displayed to add an event to your calendar. By default, the screen will display the coming hour as the meeting time.

Scroll down to set the meeting time and date first. When you add participants, Calendar can check their availability.

Tap to save.


Tap a right-arrow to edit.

Tap an up-arrow to display current entries. After at least one participant has been added, "Add" changes to "Manage."

Specify a time and date for the meeting. If the meeting is to recur, tap Repeat, and Repeat again to display the Repeat Type screen.

Choose how the meeting is to repeat and tap Repeat. On the Repeat screen that is displayed, enter repetition parameters as necessary.

To **invite participants**, tap Add Required Participants or Add Optional Participants.



Tap to save.

1. Type in invitee's address, or
2. Begin entering invitee's address and then choose from matching contacts list that is displayed, or
3. Tap the + button to use Contacts ("The file repository does not support folders. Zip files can be viewed from the repository." on page 21) to select attendees.

When you add a participant, Calendar checks the invitee's availability and displays the result (for business hours, 8am - 6PM).

Personal distribution lists are supported.


To remove a name from the invitation list, tap the name and the backspace key.

When you specify a location for the meeting, Calendar checks the location's availability.

To set a reminder for yourself, tap Reminder and choose the time before the event at which the reminder should be displayed. Your reminder might arrive a few minutes early, depending upon network traffic.

Tap the Private button, turning it On, to mark the meeting private and prevent others from accessing details about it.

To specify your availability for other meetings during this meeting, tap Show As.




Use this screen to choose your availability for other users scheduling meetings during the same time and date as this meeting.

When you have finished entering your event, tap Done. The event is added to your calendar and invitations are sent.

Event requests and your responses to event requests (for example, acceptances) are stored in the Sent Items folder of your company account and in the Sent Items folder on your iPhone, unless your IT administrator has disabled this feature.

Editing Events

To edit an event, tap the event you want to change and tap the Edit button. Scroll to the setting that you want to change.



Tap to save the event after making changes.

Tap a parameter to make a change.

Details of the event are displayed. Tap the Edit button. Tap and edit the meeting's settings as needed.

To delete an event, tap the event, tap Edit, and tap Delete.

You can edit only events that you created.

For recurring events you created in your company account, you can edit a specific occurrence or the subject, location, notes, or attendees for the series of events. You cannot use the iPhone to change the dates, times, or other rules for a series.

When you have finished changing the event, tap the Done button. The changes are sent to any attendees you invited. Attendees deleted from an event are not notified.

Exiting and Returning to Good for Enterprise

For iPhones running iOS versions earlier than 4.0, clicking the Home button exits Good. Tap the Good icon to start the application again.

For iPhones 3GS and higher, running iOS 4, tapping the Home button suspends Good and adds its icon to a "recently used" apps bar. A "task completion" feature will allow Good to complete current synchronization, attachment download, and other tasks it is performing when you exit. When you return to Good by tapping the icon, Good for Enterprise will already be loaded for fast application switching.

To exit Good completely, double-click the Home button and then press and hold the Good icon in the recently-used app bar (all applications currently loaded are shown on the bar). The icons in the bar go into "shaky" mode. Tap the red "minus" badge on the Good icon to completely exit Good. When you return to Good, it will relaunch. Take care that you are tapping a "minus," not an "x."

Tapping an “x” will uninstall the Good for Enterprise application completely!

Click the Home button in Good for Enterprise to leave Good. The Good icon will be added to the recently-used bar. When you return, Good will be in the state that you left it.

Double-click the Home button to display all processes currently running. Press and hold the Good icon and then tap the delete button to remove Good from the bar. When you return to Good, it will start from scratch.



iPhone Synchronization


The following are exceptions to synchronization between your company account and the iPhone:

- Items in child folders below the Inbox folder and items sent to the Drafts folder.
- Items removed from the iPhone via aging to free up space are not deleted from your company account.
- Items in the company account and iPhone Sent Items folders are not synchronized unless your IT administrator has explicitly enabled this synchronization.
- Items originally filtered into an unsynchronized email server folder are synchronized if moved or copied to a synchronized folder, subject to the rules in the following item.

For email messages older than three days that have arrived while your iPhone was turned off (when you were on vacation and out of coverage, for example), only headers are sent to the iPhone (unless your IT administrator enables delivery of the complete message). Email messages older than a month are not synchronized; neither message nor header is sent.

Good Mobile Access Secure Browser

Good Mobile Access Secure Browser provides a browser for use with your corporate intranet and enterprise data behind the corporate firewall only. The browser does not provide Internet access. To use the browser, tap its icon in the toolbar.



If Secure Browser is present on the device, its icon is added to the Good for Enterprise toolbar.



Your administrator determines which page is displayed when you launch the browser, and which URLs you can load using the browser. If you enter the URL of a site outside your enterprise, you'll be prompted to use Safari instead. If you tap the link to such a URL while in Good Email, Safari will be launched automatically.

Secure Browser supports HTML 4.

The screen should be kept on during secure browsing; if the screen goes to sleep, you may encounter errors.

To view a list of the pages you have visited, tap the Bookmark icon and tap History. You can clear the list, tap the Clear History button. To return to the list of bookmarks, tap the Bookmarks button.

To go to a bookmarked page, tap the Bookmarks icon and tap the desired page from the list that is displayed.

To add a bookmark for the currently displayed page, tap the plus sign and then tap Add Bookmark.

To delete a bookmark from the bookmarks list, display the bookmarks list and tap the Edit button. Select the bookmark(s) and tap Delete.

4 Preferences and Maintenance

This chapter describes how to maintain Good for Enterprise on your iPhone. Topics described in this chapter include:

- Password management
- Send/Receive now
- Email Signature, Out of Office, Folder Sync, HTML email
- Contacts
- Sounds and notifications
- Applications supplied by your administrator
- Good for Enterprise updates
- Data storage and aging
- Submitting a diagnostic log file

Email Preferences

Email Signature

To add a signature to all your messages, tap Preferences and Signature, and enter your signature text. Returning to Preferences automatically saves your new text.

Email Out of Office

To enable an automatic out-of-office auto reponse to incoming email, tap Preferences and Out of Office. Tap the Auto Response field and enter your reponse text. Returning to Out of Office automatically saves your new text. Tap On to turn on the automatic response.

Email Folder Sync

Good does not synchronize your personal folders automatically. To turn on synchronization for a folder, tap Folder Sync on the Preferences screen. A list of all your folders is displayed; tap the folders to be synchronized; a checkmark next to a folder indicates that it will be synchronized.

You can also turn on synchronization for a folder by navigating to it in Email. When you tap an unsynchronized folder to open it, you'll be prompted to turn on synchronization.

Send/Receive Now


Tap to cause all email in the outbox to be sent and any pending corporate email to be delivered to the iPhone immediately. To cause the same operation on the Email and Calendar screens, simply shake the device.

Notification Preferences

Your iPhone can notify you of waiting Good for Enterprise email and calendar requests, and remind you of upcoming events, from outside or within Good for Enterprise.

Configure Good notification and reminder settings from outside

Good for Enterprise by tapping iPhone Settings  and then Notifications.



Set notifications as desired using these iPhone settings. For example, turning Badges on will display your waiting email on the Good for Enterprise application icon. (Each time that a message arrives in your company email account, the badge number increments; reading a message in your company account does not affect the number; entering Good for Enterprise on the iPhone resets the number to zero.)



You can also configure notification settings within Good for Enterprise. These settings apply to your messages and calendar invitations whenever Good is running.

To configure notifications within Good, tap Preferences.




Turn sound and vibration notifications on/off using the Preferences screen.

Contact Preferences

Once Good for Enterprise is up and running, your Good contacts will synchronize with your corporate contacts (in Outlook or Lotus, for example). You can also sync Good contacts with your iPhone device. When doing so, the Good contacts will be stored in the native iPhone contacts application in a “Good for Enterprise” group, and Good for Enterprise will keep the group updated. With this syncing enabled, voice dialing, caller ID, SMS, and other such applications can leverage your Good contacts information.

Warning: Do not choose this option if your iPhone contacts are configured to sync with your company account outside of Good for Enterprise. If you do so, you may lose data.

To sync your company account and iPhone contacts, go to Preferences, and tap the Sync with Handheld control.




Managing Your Password

The system administrator may require that you enter a password to run Good for Enterprise. The administrator sets policies that govern the format and function of this lock password.

You also have the option of setting such a password yourself, even if administrative policies do not require it.

If the password you enter does not conform to the administrative policies that are set for your handheld, an error message appears and you are prompted to re-enter the password.

If a password is set, you can invoke it immediately from Preferences to lock Good for Enterprise.



Tap to lock Good for Enterprise immediately (that is, display a Lock screen requiring a password to re-enter the application).

This option is only displayed when a password is set.

Your administrator can set a policy that locks you out of Good for Enterprise permanently if you enter an incorrect password too many times in a row.

If your password includes an expiration date, you are prompted to create a new one on that date.

You can use Password on the Preferences page to turn a password on or off, change it, specify the idle time that will lock the Good for Enterprise screen, and turn the password requirement on or off for the initial launch of Good for Enterprise. Note, however, that taking any such action cannot conflict with the administrator's policy set for your device. For example, you cannot turn the password off if the administrator requires that it remain on, or specify an idle time that is greater than that specified by the administrator.




Your administrator can lock you out after too many incorrect passwords.

If set to off, no password will be required to return to Good for Enterprise from the "recently used" bar. Starting Good for Enterprise will still require the

If your administrator changes a password policy for your handheld, you'll be informed the next time that you are required to enter or change the password, or if you try to change the password yourself. At that time you'll be required to make any changes to your password that may be required by the new policy settings.

Once your password expires, you are prompted to create a new one.


You can change this password in Good for Enterprise by tapping Preferences > Password > Change Password.



Your administrator may also set a policy that erases the Good for Enterprise data on your iPhone and prevents you from running the Good application again if you enter incorrect passwords too many times in a row. You'll need to delete the application and reinstall it from the App Store to recover.

Installing Applications Using Good

Your administrator can make applications available for you to install over-the-air on your device. When a new such application becomes available, you'll be notified.



Tapping View or tapping the Applications icon in the toolbar displays a list of available downloadable applications. (You may need to tap More in the toolbar to display the Applications option.)



Tap an application and you'll be prompted to install it. At the prompt, tap Install and an icon will be displayed on the Home screen signaling that the operation is proceeding. Once download and installation are complete, an icon for the new application will appear on the Home screen with your other applications.

Good for Enterprise Updates

Each time that you access the App Store, your iPhone checks for updates to applications you've installed, including Good for Enterprise. A check for updates also occurs automatically on a weekly basis. If a Good for Enterprise update is available, an Updates screen appears in the App Store. The update is downloaded and installed if you choose to update Good for Enterprise.

Important: For security reasons, Good does not allow backup of your Good data to iTunes or iCloud, as doing so could make your corporate data accessible to unauthorized users. Since this data is not backed up to iTunes or iCloud, it cannot be restored as part of any iOS upgrade or restore from backup that you perform. As a result, you'll need to set up your device again, updating and re-syncing the Good for Enterprise application; that is, after the iOS upgrade or backup, you'll be taken to a provisioning screen and be prompted for your email address and PIN.

Data Storage and Aging

Personal information and email on your iPhone is stored indefinitely, with the following exceptions:


- Each Good for Enterprise application is guaranteed a certain amount of memory for data storage. The remainder of memory is available for extra data storage by any of the applications.
- If storage space is needed, older email and calendar events are removed from the iPhone but not from your business account.
- Maximum number of stored email messages is determined by available memory on the iPhone.
- If there is insufficient space, incoming data for the application stops downloading. If you delete data on the iPhone to free up space, the data downloading resumes. No new incoming data is

lost. It is held by Good for Enterprise Server and then sent when space becomes available.

If your iPhone runs out of space for new contacts and data aging cannot solve the problem, you must delete existing contacts to make room for the new ones. Do this from the iPhone, not from your business account. To preserve contacts before deleting them from the iPhone, use the Export feature on your desktop or laptop. Note that you export the data from your business account and your desktop or laptop and then delete it from the iPhone.

Submitting a Diagnostic Log File

Your IT or helpdesk administrator may ask you to send in a log file from your phone for troubleshooting purposes. To do so, in the Good application tap the Preferences icon and then tap About.



Legal Notice

This document, as well as all accompanying documents for this product, is published by Visto Corporation dba Good Technology ("Good"). Good may have patents or pending patent applications, trademarks, copyrights, and other intellectual property rights covering the subject matter in these documents. The furnishing of this, or any other document, does not in any way imply any license to these or other intellectual properties, except as expressly provided in written license agreements with Good. This document is for the use of licensed or authorized users only. No part of this document may be used, sold, reproduced, stored in a database or retrieval system or transmitted in any form or by any means, electronic or physical, for any purpose, other than the purchaser's authorized use without the express written permission of Good. Any unauthorized copying, distribution or disclosure of information is a violation of copyright laws.

While every effort has been made to ensure technical accuracy, information in this document is subject to change without notice and does not represent a commitment on the part of Good. The software described in this document is furnished under a license agreement or nondisclosure agreement. The software may be used or copied only in accordance with the terms of those written agreements.

The documentation provided is subject to change at Good's sole discretion without notice. It is your responsibility to utilize the most current documentation available. Good assumes no duty to update you, and therefore Good recommends that you check frequently for new versions. This documentation is provided "as is" and Good assumes no liability for the accuracy or completeness of the content. The content of this document may contain information regarding Good's future plans, including roadmaps and feature sets not yet available. It is stressed that this information is non-binding and Good creates no contractual obligation to deliver the features and functionality described herein, and expressly disclaims all theories of contract, detrimental reliance and/or promissory estoppel or similar theories.

Patents, Legal Information & Trademarks

©Copyright 2012. All rights reserved. Good Technology, Good, the Good logo, Good for Enterprise, Good For You, and Good Mobile Messaging, are either trademarks or registered trademarks of Good. All third-party trademarks, trade names, or service marks may be claimed as the property of their respective owners and are used only to refer to the goods or services identified by those third-party marks. Good's technology is protected by U.S. Patents 6,085,192; 5,968,131; 6,023,708; 5,961,590; 6,131,116; 6,151,606; 6,233,341; 6,131,096, 6,708,221 and 6,766,454 along with numerous other U.S. and foreign patents and applications pending.

Good Technology, Inc.
430 N. Mary Avenue, Suite 200
Sunnyvale, CA 94085

<http://www.good.com>

Be Good. Be Safe.

Please do not use while driving or engaged in any other activity that requires your full attention.